

Notice of Allowability

Application No.

10/668,808

Applicant(s)

SHEPHERD, MARY K.

Examiner

Francis T. Palo

Art Unit

3644

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 3/25/05.
2. ☒ The allowed claim(s) is/are 31-42.
3. ☒ The drawings filed on 07 March 2005 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None, of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Francis T. Palo
 Examiner
 Art Unit: 3644

Application/Control Number: 10/668,808
Art Unit: 3644

Page 2

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment discussed with and approved by Mr. H. Roy Berkenstock on 3/17/05 is obviated by the amendment filed 3/25/05; the Examiner appreciates the corrections to the claims to effect consistent claim language terminology within the claims, and with reference to the Specification and the parts list contained therein.

Allowable Subject Matter

Claims 31-42 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art of record all failed to show either alone and/or in combination, a connection between a rack rail and connecting bar forming a rack as cited; specifically, the joining of a connecting bar (cross rail) to a bar rail (side rail) wherein the connecting bar is provided at its ends with a peg and superior second projection, whereby the peg and projection are received in a corresponding opening and superior recess respectively, in the face of the bar rail.

Application/Control Number: 10/668,808

Page 3

Art Unit: 3644

While the various arts such as railroad ties, spring supports for beds and the like, oven racks, dividers in horticultural propagators and racks and carts in general, are replete with connecting structure between a side rail and cross rail, they all lack the peg and superior projection in a cross rail cooperable with a corresponding opening and superior recess as cited in the instant invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Francis T. Palo whose telephone number is 703-305-5595 (571-272-6907 after 4/4/05).

The examiner can normally be reached on M-Tu., Th.-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Teri Luu can be reached on 703-305-7421.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/668,808
Art Unit: 3644

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Francis T. Palo

Francis T. Palo
Examiner
Art Unit 3644